



## **Nanoparticles of silver as modulators of immunity**

Grodzik, Marta; Sawosz Chwalibog, Ewa; Chwalibog, André

*Published in:*  
Abstracts Book

*Publication date:*  
2009

*Document version*  
Publisher's PDF, also known as Version of record

*Citation for published version (APA):*  
Grodzik, M., Sawosz Chwalibog, E., & Chwalibog, A. (2009). Nanoparticles of silver as modulators of immunity. In N. Ali, & R. Polini (Eds.), *Abstracts Book*

4th International Conference on Surfaces,  
Coatings and Nanostructured Materials  
(NANOSMAT 2009)

# ABSTRACTS BOOK

Editors:

Dr N. Ali (UK) & Dr R. Polini (Italy)

**NANOSMAT 2009 (19th-22th October 2009)**

4th International Conference on Surfaces, Coatings and Nanostructured Materials

Crown Plaza Hotel,

Via Aurelia Antica 415

00165 Rome

## NS201: Nanoparticles of Silver as Modulators of Immunity

M. Grodzik<sup>1</sup>, E. Sawosz Chwalibóg<sup>1</sup>, A. Chwalibog<sup>2</sup>

<sup>1</sup>Warsaw University of Life Science, Ciszewskiego 8, 02-786 Warsaw, Poland

<sup>2</sup> University of Copenhagen, Groennegaardsvej 3, 1870 Frederiksberg, Denmark

The objective of this experiment was to evaluate potential synergy effects between nanoparticles of silver (nano-Ag) and Gumboro vaccine on inflammatory factors at molecular and whole body level. Chicken embryos *in ovo* (n=120) were divided into four groups: I- control; II- hydrocolloid nano-Ag; III- Gumboro vaccination; IV – hydrocolloid nano-Ag + Gumboro vaccination. Nano-Ag from Nano-Tech, Polska, produced by electric non-explosive method (Polish patent 3800649), was injected to egg albumen; 300 µl, concentration 50 ppm. After 20 days of incubation, we evaluated morphology of bursa Fabricius, serum levels of immunoglobulin IgG and antibodies against Gumboro disease, and expression of HSP70 and NF-κB

76

proteins in the bursa by Western blot and immunofluorescence. Nano-Ag had no effect on morphological parameters of bursa Fabricius; the place where lymphocytes B could develop, indicating suppressing effect of nano-Ag. Ag nanoparticles enhanced vaccine action, by increasing level of immunoglobulin IgG in embryos' serum and amplified HSP70 expression – a factor diminishing inflammatory state. However, nanoparticles had no effect on NF-κB expression, being a key inflammatory factor. This preliminary investigation indicates that hydrocolloids of Ag nanoparticles can modulate immunological responses. It is also possible that nano-Ag, by enhancing effect of vaccination, can play a role as vaccine activators.